

TaskInProgress

```
TaskInProgress // All information should be exported to monitor system. // Depends on numBSPTasks.

Configuration conf; // defined in JobInProgress.

static final int MAX_TASK_EXECS = 1; // defined in JobInProgress.

int maxTaskAttempts = 4; // defined in JobInProgress.

Boolean failed = false;

int NUM_ATTEMPTS_PER_RESTART = 1000;

String jobFile = null; // defined in JobInProgress.

int partition;

TaskID id;

TaskAttemptID attemptId; // newly added, representing the attempt id for this task.

TaskStatus status; // newly added. indicate the state of this task, e.g. this task is running or not.

JobInProgress job; // TaskInProgress is contained within JobInProgress.

int completes = 0; // change to Boolean, so it also indicates if this task successes.

Boolean completed = false; // true indicates this task is successfully executed.

GroomServerStatus myGroomStatus;

String groom; // to which groom this task belongs.

long startTime = -1;

private int successEventNumber = 1;

int nextTaskId = 0; // should be calculated at runtime.

TaskAttemptID successfulTaskId; // see completed.

TaskAttemptID firstTaskId; // the first task stored in 2d task array. // see job-task relation section

TaskAttemptID currentTaskId; // the last task in 2d task array should be the current execution task. // see job-task relation section

TreeMap<TaskAttemptID, String> activeTasks; // mapping from TaskId to GroomServer. // Task to GroomServer relation is recorded by taskId and groom in o.a.h.b.v2.Task

TreeMap<TaskAttemptID, TaskStatus> taskStatuses; // each task should embed with a status object.

BSPJobID jobId; // defined in JobInProgress. -

RawSplit rawSplit;

int mySuperstep = 1; // not used.
```