

ValidatorDispatchAction

up to [ValidatorFaq](#)

How to use validator with dispatchAction

Answer(s)

If you want to use different validation rules with the validator you have to declare different action elements in your struts-config.xml file (using the same action class if you want). For that you have to use the (Dyna)ValidatorActionForm.

Another means is to validate your form in the methods of your **DispatchAction** class as in this example:

struts-config.xml:

```
<action      path="/logon/action/logon"
    type="test.web.struts.action.logon.LogonAction"
    name="logonForm"
    scope="request"          <-- !!!
    validate="false"         <-- !!!
    input="/WEB-INF/jsp/logon/logon.jsp">
        <forward   name="success"  path="/index.jsp"/>
    </action>
```

LogonAction.java:

```
ActionErrors errors = new ActionErrors();
errors = form.validate(mapping, request);

// Report any errors we have discovered back to the original form
if (!errors.isEmpty())
{
    saveErrors(request, errors);
    return new ActionForward(mapping.getInput());
}
```

<eliemedeiros@hotmail.com>

Or you could also write a thin wrapper around the validation framework to validate a single field at the time. For instance the following code carries out the validation of the form field at the same time it retrieves its value:

```

import java.util.ArrayList;
import java.util.Iterator;
import java.util.List;

import javax.servlet.http.*;

import org.apache.struts.action.*;
import org.apache.struts.validator.DynaValidatorForm;

public class CustomValidator {
    ActionErrors formValidationErrors;
    DynaValidatorForm form;
    private static final Logger logger = Logger.getLogger(MosaicValidator.class);

    /**
     * Creates a new MosaicValidator object.
     *
     * @param form parameter
     * @param mapping parameter
     * @param request parameter
     */
    public MosaicValidator(DynaValidatorForm form, ActionMapping mapping, HttpServletRequest request) {
        this.form = form;
        formValidationErrors = form.validate(mapping, request);
    }

    /**
     * Get the value for a particular form field, and validate the value the user has entered against the
     Struts validation file
     *
     * @param key parameter
     * @param errors parameter
     * @return returnvalue
     */
    public final Object validate(String key, ActionErrors errors) {
        Iterator it = formValidationErrors.get(key);
        while (it.hasNext()) {
            ActionError e = (ActionError)it.next();
            errors.add(key, e);
        }
        return form.get(key);
    }
}

```

This can be called in the following manner from an action extending [DispatchAction](#):

```

public ActionForward viewForm (ActionMapping mapping, ActionForm form, HttpServletRequest request,
HttpServletResponse response)
        throws Exception {
    ActionErrors errors = new ActionErrors();
    MosaicValidator v=new MosaicValidator( (DynaValidatorForm)form, mapping, request);
    String formField = (String)v.validate("formField", errors);
    if (!errors.isEmpty()) {
        saveErrors(request, errors);
        return (mapping.getInputForm());
    }
    return viewForm(mapping, form, request, response);
}

```

Hope this helps someone.

</eliemedeiros@hotmail.com>

up to [ValidatorFaq](#)