

TestAccessControl

Live Permissions

Live Permissions for Users

- 1.Login as any user being member of the *administrators* group
- 1.In Admin Area add a user John
- 1.Go to node Foo (has to be live) in Site Area, to which you want to give John Live Access
- 1.AC *Live* tab: Add John
- 1.Logout
- 1.Login as user John
- 1.Check: Only access to Live Area of node Foo
- 1.Check: Other Areas -> login screen should appear

Live Permissions for Groups

- 1.Login as any user being member of the *administrators* group
- 1.Go to node Foo (has to be live) in Site Area, to which you want to give Group Live Access
- 1.AC *Live* tab: Add Group
- 1.Logout
- 1.Login as user added Group
- 1.Check: Only access to Live Area of node Foo

Live Permissions for IP Range

- 1.Login as any user being member of the *administrators* group
- 1.Go to node Foo (has to be live) in Site Area, to which you want to give IP Range Live Access
- 1.AC *Live* tab: Add IP Range
- 1.Logout
- 1.Login as machine from added IP Range
- 1.Check: Only access to Live Area of node Foo

Authoring Permissions for default Roles (Regarding Authoring Area only)

Permissions for Roles specified in the RML Files

- 1.Login as any user being member of the *administrators* group
- 1.In Admin Area add a user John
- 1.Go to node Foo in Site Area, to which you want to assign John a certain role
- 1.AC *Authoring* tab: Add John with certain role
- 1.Logout
- 1.Login as user John
- 1.Check: John is authorized to carry out all tasks specified for this role

Administration Permissions for default Groups

Permissions for Group specified in the GML Files

- 1.Login as any user being member of a certain group
- 1.Check: You are authorized to carry out all tasks specified for this group