

# SolrCollectionDistributionOperationsOutline

This document describes the ssh/rsync based replication available since [Solr1.1](#). This mechanism only works on systems that support removing open hard links.

⚠ These Scripts were superseded by the [ReplicationHandler](#) Java implementation of index replication that works over HTTP and was introduced in [Solr1.4](#), and are no longer actively maintained. ⚠

- [master Solr server](#)
- [slave Solr server](#)

All distribution scripts reside in **`solr/bin`**. All distribution configuration files reside in **`solr/conf`**. For more information on the distribution scripts and configuration files, see [SolrCollectionDistributionScripts](#). A more detailed description of the replication process can be found on [CollectionDistribution](#). To learn how to monitor and debug that part of the system, see [SolrCollectionDistributionStatusStats](#).

## master Solr server

- Enable the rsyncd daemon by running **`rsyncd-enable`**.
- Start the rsync daemon by running **`rsyncd-start`**.
- Snapshots are taken by the Solr server after each commit and optimize request. They can also be taken manually by running **`snapshotter`**.
- Snapshots older than a certain number of days old can be removed automatically by configuring cron to run **`snapcleaner`** regularly. If necessary, additional cleanup can be done by running **`snapcleaner`** manually.

## slave Solr server

- The user id under which the Solr distribution scripts run must be able to ssh/scp from the slave Solr server to the master Solr server without being prompted for a password. ssh is used to determine the latest snapshot available on the master. scp is used to transfer distribution status and statistics back to the master.
- Enable the **`snappuller`** by running **`snappuller-enable`**.
- Configure cron to run **`snappuller`** regularly. It can also be run manually to pull the latest snapshot from the master on demand.
- Install the latest snapshot into Solr by running **`snapinstaller`**.
- Snapshots older than a certain number of days old can be removed automatically by configuring cron to run **`snapcleaner`** regularly. If necessary, additional cleanup can be done by running **`snapcleaner`** manually.