

Deploy jUDDI on Tomcat and MySQL

Overview

This howto presents a quick installation guide for the jUDDI web application and its prerequisites. The platform used herein is *nix with bash shell, MySQL and Tomcat. Installation is not much different for other platforms and the document will evolve to include them.

Get and install MySQL from <http://www.mysql.com/downloads/index.html>.

Install Tomcat from <http://jakarta.apache.org/tomcat/index.html>

MySQL Configuration

This section provides the instructions for a quick installation of MySQL

```
# cd to ${HOME}
cd
# unzip and untar the downloaded binary distribution
tar xzf mysql-3.23.53a-pc-linux-gnu-i686.tar.gz
# restore file mods
chmod u+x ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/bin/*
chmod u+x ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/support-files/*
chmod u+x ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/tests/*
chmod u+x ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/scripts/mysql_install_db
# install db
cd ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/
./scripts/mysql_install_db # start mysqld
./bin/safe_mysqld & # repair access passwords
cd ${HOME}/mysql-3.23.53a-pc-linux-gnu-i686/bin/
./mysqladmin --user=root --password= password '123456'
./mysqladmin --user=root --password= --host=host.domain.com password '123456'
```

Tomcat Configuration

This is not meant to be a Tomcat installation manual. It only explains how to make a simple installation. Tomcat will be installed in the user home directory (\${HOME}). After the installation the Tomcat directory is referred to as \${CATALINA_HOME}

```
# verify that java is installed
echo ${JAVA_HOME}
java
# go to ${HOME}
cd
# unzip the downloaded binary distribution
unzip tomcat-4.1.27.zip
# ${CATALINA_HOME} is ${HOME}/tomcat-4.1.27
# restore file mods
cd ${CATALINA_HOME}/bin
chmod u+x catalina.sh
# start Tomcat
```

```
./catalina.sh start
```

```
# browse http://localhost:8080/ to verify that Tomcat has started
```

You might find useful to set tomcat user accounts. Edit \${CATALINA_HOME}/conf/tomcat-users.xml:

```
<?xml version='1.0' encoding='utf-8'?>
<tomcat-users>
    <role rolename="manager" />
    <role rolename="admin" />
    <user username="both" password="changeme" roles="admin,manager" />
</tomcat-users>
```

Prepare MySQL

Copy to the current directory the file \${HOME}/juddi_0.8.0_bin/ddl/juddi_mysql.ddl

```
cp juddi_0.8.0_bin/ddl/juddi_mysql.ddl .
```

Connect to the installed mysql as follows:

```
mysql --host=host.domain.com --port=3306 --user=root --password=123456
```

Run the following:

```
#
# Create the jUDDI database
#
DROP DATABASE IF EXISTS juddi;
CREATE DATABASE juddi;
#
# Sets global privileges to user juddi
#
REPLACE INTO mysql.user SET
  Host = '%', # any hostname (including localhost)
  # alternatively '192.168.0.1/255.255.255.0', '129.%', 'localhost'
  User = 'juddi',
  Password = PASSWORD('123456'),
  Select_priv = 'Y',
  Insert_priv = 'Y',
  Update_priv = 'Y',
  Delete_priv = 'Y',
  Create_priv = 'Y',
  Drop_priv = 'Y',
  Reload_priv = 'Y',
  Shutdown_priv = 'Y',
  Process_priv = 'Y',
  File_priv = 'Y',
  Grant_priv = 'Y',
  References_priv = 'Y',
  Index_priv = 'Y',
  Alter_priv = 'Y'
  # Show_db_priv = 'N',
  # Super_priv = 'N',
  # Create_tmp_table_priv = 'N',
  # Lock_tables_priv = 'N',
  # Execute_priv = 'N',
  # Repl_slave_priv = 'N',
  # Repl_client_priv = 'N',
  # ssl_type = 'X509',
  # ssl_cipher = '', # blob
  # x509_issuer = '', # blob
  # x509_subject = '', # blob
  # max_questions = '0',
  # max_updates = '0',
  # max_connections = '0'
;
FLUSH PRIVILEGES; # required
```

```

#
# fix the mysql security gaps
# NOTE: allowed access from root@localhost, root@domain.com
#
DELETE FROM mysql.user WHERE User='';
UPDATE mysql.user SET Password=PASSWORD('123456')
    WHERE user='root';
FLUSH PRIVILEGES; # required

#
# Optionally Set db privilege and host privileges
# This should be used if the juddi user should not
# have global privileges. In detail mysql access control
# is calculated as follows:
#   global privileges
#   OR (database privileges AND host privileges)
#   OR table privileges
#   OR column privileges
#
INSERT INTO mysql.db SET
    Host = '%', # if blank intersect with the mysql.host record
    Db = 'juddi%',
    User = 'juddi',
    Select_priv = 'Y', Insert_priv = 'Y',
    Update_priv = 'Y', Delete_priv = 'Y',
    Create_priv = 'Y', Drop_priv = 'Y',
    Grant_priv = 'N', References_priv = 'Y',
    Index_priv = 'Y', Alter_priv = 'Y',
    Create_tmp_table_priv = 'N',
    Lock_tables_priv = 'N'
;
INSERT INTO mysql.host SET
    Host = '%',
    Db = 'juddi%',
    Select_priv = 'Y', Insert_priv = 'Y',
    Update_priv = 'Y', Delete_priv = 'Y',
    Create_priv = 'N', Drop_priv = 'N',
    Grant_priv = 'N', References_priv = 'N',
    Index_priv = 'N', Alter_priv = 'N',
    Create_tmp_table_priv = 'N',
    Lock_tables_priv = 'N'
;
#
# create the jUDDI tables
#
USE juddi;
SOURCE juddi_mysql.ddl;

#
# add a jUDDI publisher
#
# PUBLISHER_ID The user ID the publisher uses when authenticating.
# IMPORTANT: This should be the same value used to authenticate
# with the external authentication service.
# PUBLISHER_NAME The publisher's name (or in UDDI speak the
# Authorized Name).
# ADMIN Indicate if the publisher has administrative privileges.
# Valid values for this column are 'true' or 'false'. The ADMIN
# value is currently not used.

INSERT INTO PUBLISHER (PUBLISHER_ID,PUBLISHER_NAME,ADMIN)
    VALUES ('juddi','juddi user','false');

```

To exit MySQL type:

quit

Install the jUDDI web application

Tomcat should be shutdown during this procedure.

Unzip the \${HOME}/juddi_0.8.0_bin/build/juddi.war file at the directory \${CATALINA_HOME}/webapps/juddi/

Set the following properties at the file \${CATALINA_HOME}/webapps/juddi/WEB-INF/classes/juddi.properties
(jar:file:/juddi.war!/WEB-INF/classes/juddi.properties)

```
# The UDDI Operator Name
juddi.operatorName = eurodyn.com
# the DataSource JNDI name
juddi.dataSource=java:comp/env/jdbc/juddi
```

Set the following properties at \${CATALINA_HOME}/webapps/juddi/WEB-INF/classes/log4j.properties

```
#
# set the log file to ${HOME}/juddi.log and not the ${PWD}/juddi.log
#
log4j.appenders.LOGFILE.File=${user.home}/juddi.log
```

Configure Tomcat for jUDDI

Add the following lines at the \${CATALINA_HOME}/conf/server.xml file, Host element

```

<Context path="/juddi" docBase="juddi" debug="5" reloadable="true"
crossContext="true">
<Logger className="org.apache.catalina.logger.FileLogger"
prefix="localhost_juddiDB_log" suffix=".txt"
timestamp="true"/>
<!-- the Resource element will probably work better for
you on Tomcat 5+ if you simply use a Resource only tag
with xml attributes as opposed to the nested ResourceParams and
parameter elements -->
<Resource name="jdbc/juddiDB"
auth="Container"
type="javax.sql.DataSource"/>
<ResourceParams name="jdbc/juddiDB">
<parameter>
<name>factory</name>
<value>org.apache.commons.dbcp.BasicDataSourceFactory</value>
</parameter>
<!-- Maximum number of dB connections in pool. Make sure you
configure your mysqld max_connections large enough to handle
all of your db connections. Set to 0 for no limit. -->
<parameter><name>maxActive</name><value>100</value></parameter>
<!-- Maximum number of idle dB connections to retain in pool.
Set to 0 for no limit. -->
<parameter><name>maxIdle</name><value>30</value></parameter>
<parameter><name>maxWait</name><value>10000</value></parameter>
<!-- MySQL dB username and password for dB connections -->
<parameter><name>username</name><value>juddi</value></parameter>
<parameter><name>password</name><value>123456</value></parameter>
<!-- Class name for mm.mysql JDBC driver -->
<parameter>
<name>driverClassName</name>
<value>org.gjt.mm.mysql.Driver</value>
</parameter>
<!-- The JDBC connection url for connecting to your MySQL dB.
The autoReconnect=true argument to the url makes sure that the
mm.mysql JDBC Driver will automatically reconnect if mysqld closed the
connection. mysqld by default closes idle connections after 8 hours.
-->
<parameter>
<name>url</name>
<value>jdbc:mysql://host.domain.com:3306/juddi?autoReconnect=true</value>
</parameter>
<parameter>
<name>validationQuery</name>
<value>select count(*) from PUBLISHER</value>
</parameter>
</ResourceParams>
</Context>

```

Run Tomcat

Start the Tomcat server and test the installation browsing

```

${CATALINA_HOME}/bin/startup
http://localhost:8080/juddi/happyjuddi.jsp

```