

HelpOnXmlPages

XML Pages & XSLT Processing

If you have [Python4Suite](#) installed in your system, it is possible to save XML documents as pages. It's important to start those pages with an XML declaration "<?xml ...>" in the very first line. Also, you have to specify the stylesheet that is to be used to process the XML document to HTML. This is done using a [standard "xml-stylesheet" processing instruction](#), with the name of a page containing the stylesheet as the "href" parameter.

See the following example for details, which can also be found on the [XsltVersion](#) page.

Example

```
<?xml version="1.0" encoding="ISO-8859-1"?>

<?xml-stylesheet href="XsltVersion" type="text/xml"?>

<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

  <xsl:output method="html" omit-xml-declaration="yes" indent="no"/>

  <xsl:template match="/">
    This Wiki is running an XSLT engine by
    <xsl:value-of select="system-property('xsl:vendor')"/>
    (<a href="{system-property('xsl:vendor-url')}"><xsl:value-of select="system-property('xsl:vendor-url')"/><
/a>)
    implementing XSLT v<xsl:value-of select="system-property('xsl:version')"/>
  </xsl:template>

</xsl:stylesheet>
```

Display

<<Include(XsltVersion)>>