

MinimalSitemapConfiguration

Here is a minimal [Sitemap](#) example. In a [UnderstandingCocoonMounts](#) subdirectory, this is sufficient for Cocoon to do its job, assuming the required [Components](#) are defined in `<map:components>` in a parent sitemap.

In other words, the parent [Sitemap](#) must have declared a component that corresponds with the indicated defaults.

A minimal root [Sitemap](#) would be almost identical, other than it must also declare the default components. See [Components](#) for examples of how this is done.

[SitemapStructure](#) has another basic reference.

```
<?xml version="1.0" encoding="iso-8859-1"?>
<map:sitemap xmlns:map="http://apache.org/cocoon/sitemap/1.0">

  <!-- use the standard components -->
  <map:components>
    <map:generators default="file"/>
    <map:transformers default="xslt"/>
    <map:readers default="resource"/>
    <map:serializers default="html"/>
    <map:selectors default="browser"/>
    <map:matchers default="wildcard"/>
  </map:components>

  <!-- let cocoon know how to process requests -->
  <map:pipelines>
    <map:pipeline>
      <!-- respond to *.html requests with
      our docs processed by doc2html.xsl -->
      <map:match pattern="*.html">
        <map:generate src="{1}.xml"/>
        <map:transform src="doc2html.xsl"/>
        <map:serialize type="html"/>
      </map:match>

    </map:pipeline>
  </map:pipelines>
</map:sitemap>
```

Once you've got the basics down perhaps you want to add sitemap entries to process other types of request:

- [ServingStaticFiles](#)
- [XLSSerializer](#) - discusses how to set up the pipeline for Excel files.
- [AddCIncludeToMinimalSitemap](#) - discusses how to add the [CInclude](#) transformer to the sitemap.
- [BasicAggregationExample](#) - discusses how to add aggregated content to the minimal sitemap configuration.
- [HTML and PDF publishing How-To](#) which gives a minimal example of HTML and PDF publishing.