

# VirtualComponents

(this document is adapted from the [message](#) posted by stefanomazzocchi on the cocoon development mailing list)

Currently, people abuse the map:resource part of the sitemap to create pipeline fragments to call. This was introduced by the TreeProcessor implementation of the sitemap but map:resources were "not" designed to be pipeline fragments but entire pipelines.

It has been identified in several circumstances (but mostly dealing with blocks) that the need to use pipeline fragments is required.

I propose the creation of "virtual pipeline components" by aggregating two or more components into a virtual one. An example is

```
<map:components>

  <map:generators>
    <map:generator name="filteredFile">
      <map:generator type="file"/>
      <map:transformer type="xslt" src="namespaceFilter.xsl"/>
    </map:generator>

    <map:transformers>
      <map:transformer type="skin">
        <map:transformer type="xslt" src="fancy-doc2html.xslt"/>
      </map:transformer>
    </map:transformers>

    <map:serializers>
      <map:serializer type="html">
        <map:transformer type="linkTranslator"/>
        <map:serializer type="html"/>
      </map:serializer>
    </map:serializers>

</map:components>
```

As you can see from the example, with virtual components, we can:

- reuse pipeline fragments as they were one component.
- overload existing components with additional functionality
- specify the src of a general purpose component (for example, xslt) and reuse that particular instance as a component. (useful for precompilation of general purpose transformations or for reusing pipeline services implemented by blocks)

The virtual components can include any other sitemap component but:

- for generators, all but serializers
- for transformers, all but generators and serializers
- for serializers, all but generators

and, obviously, the order is important.