

# FromNotReplyTo

## The FromNotReplyTo Plugin

Checks if 'From:' is equal to 'Reply-To:' and set point if this is not the case.

### Code

#### local.cf

```
loadplugin FromNotReplyTo plugins/FromNotReplyTo.pm
header FROM_NOT_REPLYTO eval:check_for_from_not_reply_to()
score FROM_NOT_REPLYTO 2.0
describe FROM_NOT_REPLYTO From: does not match Reply-To:
```

#### FromNotReplyTo.pm

```
package FromNotReplyTo;
1;

use strict;

use Mail::SpamAssassin;
use Mail::SpamAssassin::Plugin;
our @ISA = qw(Mail::SpamAssassin::Plugin);

sub new {
    my ($class, $mailsa) = @_;
    $class = ref($class) || $class;
    my $self = $class->SUPER::new( $mailsa );
    bless ($self, $class);
    $self->register_eval_rule ( 'check_for_from_not_reply_to' );

    return $self;
}

# Often spam uses different From: and Reply-To:
# while most legitimate e-mails does not.
sub check_for_from_not_reply_to {
    my ($self, $msg) = @_;

    my $from = $msg->get( 'From:addr' );
    my $replyTo = $msg->get( 'Reply-To:addr' );

    #Mail::SpamAssassin::Plugin::dbg( "FromNotReplyTo: Comparing '$from'/'$replyTo" );

    if ( $from ne '' && $replyTo ne '' && $from ne $replyTo ) {
        return 1;
    }

    return 0;
}
```

### How To Use It

Simply drop [FromNotReplyTo.pm](#) into /etc/spamassassin/plugin/ (or wherever your configuration is put).

### Caveats

It is a very simple plugin, so it should be used with care.