

# After using JetSpeed installer, JetSpeed 2 cannot start properly when using MySql as database

Describe After using JetSpeed installer, JetSpeed 2 cannot start properly when using MySql as database here.

I installed mysql 5.0 and then installed jetspeed using the installer for multiDB. Everything went okay except starting the jetspeed.

I am getting the following error:

```
Created MBeanServer with ID: b753f8:1088a0269ca:-8000:n347:1 Jan 1, 2006 11:26:20 PM org.apache.catalina.core.AprLifecycleListener lifecycleEvent
INFO: The Apache Portable Runtime which allows optimal performance in production environments was not found on the java.library.path: C:\j2sdk1.4.2
_04\bin;.;C:\WINDOWS\System32;C:\WINDOWS;C:\PROGRAM F Jan 1, 2006 11:26:21 PM org.apache.http11.Http11BaseProtocol init INFO:
Initializing Coyote HTTP/1.1 on http-8080 Jan 1, 2006 11:26:21 PM org.apache.catalina.startup.Catalina load INFO: Initialization processed in 741 ms Jan
1, 2006 11:26:21 PM org.apache.catalina.core.StandardService start INFO: Starting service Catalina Jan 1, 2006 11:26:21 PM org.apache.catalina.core.
StandardEngine start INFO: Starting Servlet Engine: Apache Tomcat/5.5.12 Jan 1, 2006 11:26:21 PM org.apache.catalina.core.StandardHost start INFO:
XML validation disabled Jan 1, 2006 11:26:21 PM org.apache.catalina.startup.HostConfig deployDescriptor WARNING: A docBase C:
\jetSpeed2\webapps\jetSpeed inside the host appBase has been specified, and will be ignored Jan 1, 2006 11:26:21 PM org.apache.catalina.realm.
JAASRealm setUseContextClassLoader INFO: Setting useContextClassLoader = false Jan 1, 2006 11:26:22 PM org.apache.catalina.startup.
ContextConfig validateSecurityRoles INFO: WARNING: Security role name admin used in an <auth-constraint> without being defined in a <security-role>
log4j:WARN No appenders could be found for logger (org.apache.catalina.session.ManagerBase). log4j:WARN Please initialize the log4j system properly.
WARN: org.apache.pluto.PortletContainerImpl#init(): Couldn't retrieve parameter "portletcontainer.supportsBuffering" from passed properties object. Falling
back to default value "FALSE" java.lang.InternalError: Can't instantiate Preferences factory java.lang.ClassNotFoundException: org.apache.jetspeed.prefs.
impl.PreferencesFactoryImpl
at java.util.prefs.Preferences.<clinit>(Preferences.java:204)
at org.apache.jetspeed.prefs.impl.PreferencesFactoryImpl.init(PreferencesFactoryImpl.java:67)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeCustomInitMethod(AbstractAutowireCapableBeanFactory.java:
1106)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1076)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:343)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:260)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:221)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:145)
at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:291)
at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:317)
at org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:131)
at org.apache.jetspeed.components.SpringComponentManager.start(SpringComponentManager.java:217)
at org.apache.jetspeed.engine.JetspeedEngine.start(JetspeedEngine.java:140)
at org.apache.jetspeed.engine.JetspeedServlet.init(JetspeedServlet.java:147)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1091)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:925)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:3880)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4141)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:739)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:524)
at org.apache.catalina.startup.HostConfig.deployDescriptor(HostConfig.java:603)
at org.apache.catalina.startup.HostConfig.deployDescriptors(HostConfig.java:535)
at org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:470)
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1118)
at org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:310)
at org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:119)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1020)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:718)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1012)
at org.apache.catalina.core.StandardEngine.start(StandardEngine.java:442)
at org.apache.catalina.core.StandardService.start(StandardService.java:450)
at org.apache.catalina.core.StandardServer.start(StandardServer.java:680)
at org.apache.catalina.startup.Catalina.start(Catalina.java:536)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:275)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413) org.springframework.beans.factory.BeanCreationException: Error creating bean with
name 'java.util.prefs.PreferencesFactory' defined in [ServletContext] resource [/WEB-INF/assembly/prefs.xml]: Initialize org.apache.jetspeed.prefs.
PreferencesException: Failed to initialize prefs api. java.lang.InternalError: Can't instantiate Preferences factory java.lang.ClassNotFoundException: org.
apache.jetspeed.pr
at org.apache.jetspeed.prefs.impl.PreferencesFactoryImpl.init(PreferencesFactoryImpl.java:74)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeCustomInitMethod(AbstractAutowireCapableBeanFactory.java:
```

1106)

```
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1076)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:343)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:260)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:221)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:145)
at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:291)
at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:317)
at org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:131)
at org.apache.jetspeed.components.SpringComponentManager.start(SpringComponentManager.java:217)
at org.apache.jetspeed.engine.JetspeedEngine.start(JetspeedEngine.java:140)
at org.apache.jetspeed.engine.JetspeedServlet.init(JetspeedServlet.java:147)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1091)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:925)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:3880)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4141)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:739)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:524)
at org.apache.catalina.startup.HostConfig.deployDescriptor(HostConfig.java:603)
at org.apache.catalina.startup.HostConfig.deployDescriptors(HostConfig.java:535)
at org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:470)
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1118)
at org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:310)
at org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:119)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1020)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:718)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1012)
at org.apache.catalina.core.StandardEngine.start(StandardEngine.java:442)
at org.apache.catalina.core.StandardService.start(StandardService.java:450)
at org.apache.catalina.core.StandardServer.start(StandardServer.java:680)
at org.apache.catalina.startup.Catalina.start(Catalina.java:536)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:275)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413) FATAL: Jetspeed: init() failed:
org.apache.jetspeed.exception.JetspeedException: Jetspeed Initialization exception!
at org.apache.jetspeed.engine.JetspeedEngine.start(JetspeedEngine.java:149)
at org.apache.jetspeed.engine.JetspeedServlet.init(JetspeedServlet.java:147)
at org.apache.catalina.core.StandardWrapper.loadServlet(StandardWrapper.java:1091)
at org.apache.catalina.core.StandardWrapper.load(StandardWrapper.java:925)
at org.apache.catalina.core.StandardContext.loadOnStartup(StandardContext.java:3880)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4141)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:759)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:739)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:524)
at org.apache.catalina.startup.HostConfig.deployDescriptor(HostConfig.java:603)
at org.apache.catalina.startup.HostConfig.deployDescriptors(HostConfig.java:535)
at org.apache.catalina.startup.HostConfig.deployApps(HostConfig.java:470)
at org.apache.catalina.startup.HostConfig.start(HostConfig.java:1118)
at org.apache.catalina.startup.HostConfig.lifecycleEvent(HostConfig.java:310)
at org.apache.catalina.util.LifecycleSupport.fireLifecycleEvent(LifecycleSupport.java:119)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1020)
at org.apache.catalina.core.StandardHost.start(StandardHost.java:718)
at org.apache.catalina.core.ContainerBase.start(ContainerBase.java:1012)
at org.apache.catalina.core.StandardEngine.start(StandardEngine.java:442)
at org.apache.catalina.core.StandardService.start(StandardService.java:450)
at org.apache.catalina.core.StandardServer.start(StandardServer.java:680)
at org.apache.catalina.startup.Catalina.start(Catalina.java:536)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:275)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413) Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'java.util.prefs.PreferencesFactory' defined in [ServletContext] resource [/WEB-INF/assembly/prefs.xml]:
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:356)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:260)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:221)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:145)
at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:291)
at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:317)
at org.springframework.web.context.support.AbstractRefreshableWebApplicationContext.refresh(AbstractRefreshableWebApplicationContext.java:131)
at org.apache.jetspeed.components.SpringComponentManager.start(SpringComponentManager.java:217)
at org.apache.jetspeed.engine.JetspeedEngine.start(JetspeedEngine.java:140)
... 27 more
Caused by: org.apache.jetspeed.prefs.PreferencesException: Failed to initialize prefs api. java.lang.InternalError: Can't instantiate Preferences factory
java.lang.ClassNotFoundException: org.apache.
```

```
at org.apache.jetspeed.prefs.impl.PreferencesFactoryImpl.init(PreferencesFactoryImpl.java:74)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:324)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeCustomInitMethod(AbstractAutowireCapableBeanFactory.java:1106)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1076)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:343)
... 35 more
INFO: Jetspeed Initialization complete, Ready to service requests. Jan 1, 2006 11:26:28 PM org.apache.coyote.http11.Http11BaseProtocol start INFO:
Starting Coyote HTTP/1.1 on http-8080 Jan 1, 2006 11:26:28 PM org.apache.jk.common.ChannelSocket init INFO: JK: ajp13 listening on /0.0.0.0:8009
Jan 1, 2006 11:26:28 PM org.apache.jk.server.JkMain start INFO: Jk running ID=0 time=0/50 config=null Jan 1, 2006 11:26:28 PM org.apache.catalina.
storeconfig.StoreLoader load INFO: Find registry server-registry.xml at classpath resource Jan 1, 2006 11:26:28 PM org.apache.catalina.startup.Catalina
start INFO: Server startup in 7420 ms
```

any suggestions?