

ContributedCode

The page collects contributed code and examples. Please feel free to add your own! You can place a link here to your own web site or put it directly on the wiki.

There are also numerous contributed code samples, macros, and templates on the [VelocityTools](#) wiki.

Application Code

- [VelocityValidationToolHack](#) – Struts 1.0 client side javascript for validation library (Struts 1.1 support is built into the [VelocityTools](#) project)
- Xkins - Skin framework using Velocity : [website project](#)
- [VelocityMail](#) – Leon Messerschmidt's code for rendering a template and sending via email
- [EnhydraVelocity](#) – A simple example of how Velocity can be used by Enhydra, by Dave Bryson.

Templates / Macros

- [VelocityDebuggingTemplate](#) – template that pops up a debugging console showing all the context vars
- [VelocityCommaIfNeeded](#) – Use a macro to make creating comma separated lists easy.

Editor / IDE add-ins

- [Boxer_Text_Editor](#) – a color syntax highlighting file for Velocity macros.
- [EmacsVtiMode](#) – Emacs minor mode to do Velocity syntax font coloring. Contributed by Brian Leonard.
- [IntelliJTemplates](#) – Velocity Live Templates for the IntelliJ IDE, written by Rickard Öberg.
- [JEditTemplate](#)
- [UltraEdit](#) – A 'WordFile.txt' addition for Ultraedit that highlights Velocity keywords.

Custom Introspectors

- [MultiUberspect](#) – an Uberspect that can dispatch introspection tasks to custom Uberspectors on a per-class basis
- [LuceneDocumentUberspect](#) – An Uberspect for Lucene Documents that works with the above class
- [JythonUberspect](#) – An uberspect for handling Jython (Java Python) objects
- [info](#)] – An Uberspect for JRuby: [[http://wiki.sprocket.slackworks.com/instiki/published/JRubyUberspect project](http://wiki.sprocket.slackworks.com/instiki/published/JRubyUberspect%20project)
- [WebappUberspector](#) – an Uberspector which allows getting and setting of scoped attributes within a webapp: `$session.bar, #set($application.bar,'foo'), $request.foo`

Custom Directives

- [XPath](#) – XPath evaluating directive, by [VladimirKirichenko](#)

Custom Resource Loaders

- [StructuredGlobbingResourceLoader](#) – a structured whitespace globbing implementation - see [VelocityWhitespaceGobbling](#)

Other sample code / examples

- [AnakiaWikiStyleSheet](#) – Translates Anakia style sheets into Wiki documents
- [DVSLExamples](#) – how to use DVSL in a webapp
- [PageList](#) – A list wrapper that can be used to implement paging of long lists in Velocity
- [StdErrLogSystem](#) – An example logger that sends output to stderr. By Christopher Reck. See also `org.apache.velocity.runtime.log.StandardOutLogChute` for a similar example.
- [XPath_Evaluation](#) – XPath evaluating directive, by Erik Bengtson
- [JpaResourceLoader](#) – ResourceLoader that uses a JPA EntityManager and NamedQuery to retrieve templates with Spring configuration, by David Pedowitz