

IntelliJTemplates

IntelliJ-Live-Template.xml is a set of templates for the IntelliJ IDEA IDE (<http://www.intellij.com>)

Contributed by Rickard Öberg <rickard@xpedio.com>, he wrote :

I've written a bunch of Velocity Live Templates for the IntelliJ IDE. They're simply the directives but which expands to the full syntax.

E.g. "#foreach" followed by space expands into:

#foreach (\$| in 😞)

#end where | are markers for entering parameters.

They make template editing much faster and avoids silly errors such as forgetting #end.

Live templates are stored in the following location:

- Windows: <your home directory>\.<product name>\<version number>\config\templates
- Linux: ~\.<product name>\<version number>\config\templates
- MacOS: ~/Library/Preferences/<product name>\<version number>/templates

IntelliJ-Live-Template.xml:

```
<?xml version="1.0"?>

<!--
    This is a template for the IntelliJ IDE so that it will make it
    easier to add Velocity Template Language to your Velocity files.

    Contributed by: Rickard ...berg <rickard@xpedio.com>
-->
<templateSet group="Velocity">
    <template name="#foreach" value="#foreach ($$$ITEM$ in $$$ITERATOR$ $END$ #end"
shortcut="SPACE" description="Velocity foreach" toReformat="false" toShortenFQNames="true">
        <variable name="ITEM" expression="" defaultValue="" alwaysStopAt="true" />
        <variable name="ITERATOR" expression="" defaultValue="" alwaysStopAt="true" />
        <context>
            <option name="JAVA_CODE" value="false" />
            <option name="JAVA_COMMENT" value="false" />
            <option name="JAVA_STRING" value="false" />
            <option name="XML" value="false" />
            <option name="HTML" value="true" />
            <option name="JSP" value="false" />
            <option name="OTHER" value="false" />
        </context>
    </template>
    <template name="#if" value="#if ($EXPR$ $END$ #end" shortcut="SPACE" description="Velocity if"
toReformat="false" toShortenFQNames="true">
        <variable name="EXPR" expression="" defaultValue="" alwaysStopAt="true" />
        <context>
            <option name="JAVA_CODE" value="false" />
            <option name="JAVA_COMMENT" value="false" />
            <option name="JAVA_STRING" value="false" />
            <option name="XML" value="false" />
            <option name="HTML" value="true" />
            <option name="JSP" value="false" />
            <option name="OTHER" value="false" />
        </context>
    </template>
    <template name="#ifelse" value="#if ($EXPR$ $END$ #else# $END$ #end" shortcut="SPACE"
description="Velocity if/else" toReformat="false" toShortenFQNames="true">
        <variable name="EXPR" expression="" defaultValue="" alwaysStopAt="true" />
        <context>
            <option name="JAVA_CODE" value="false" />
            <option name="JAVA_COMMENT" value="false" />
            <option name="JAVA_STRING" value="false" />
            <option name="XML" value="false" />
            <option name="HTML" value="true" />
            <option name="JSP" value="false" />
            <option name="OTHER" value="false" />
        </context>
    </template>
</templateSet>
```

```

<template name="#elseif" value="#if ($EXPR$)&#13;&#10; $END$&#13;&#10;#elseif ($EXPR$)&#13;&#10;#end"
shortcut="SPACE" description="Velocity if/elseif" toReformat="false" toShortenFQNames="true">
  <variable name="EXPR" expression="" defaultValue="" alwaysStopAt="true" />
  <context>
    <option name="JAVA_CODE" value="false" />
    <option name="JAVA_COMMENT" value="false" />
    <option name="JAVA_STRING" value="false" />
    <option name="XML" value="false" />
    <option name="HTML" value="true" />
    <option name="JSP" value="false" />
    <option name="OTHER" value="false" />
  </context>
</template>
<template name="#include" value="#include ($NAME$)" shortcut="SPACE" description="Velocity include"
toReformat="false" toShortenFQNames="true">
  <variable name="NAME" expression="" defaultValue="" alwaysStopAt="true" />
  <context>
    <option name="JAVA_CODE" value="false" />
    <option name="JAVA_COMMENT" value="false" />
    <option name="JAVA_STRING" value="false" />
    <option name="XML" value="false" />
    <option name="HTML" value="true" />
    <option name="JSP" value="false" />
    <option name="OTHER" value="false" />
  </context>
</template>
<template name="#macro" value="#macro($NAME$ $$$ARGS$)&#13;&#10; $END$&#13;&#10;#end" shortcut="SPACE"
description="Velocity macro" toReformat="false" toShortenFQNames="true">
  <variable name="NAME" expression="" defaultValue="" alwaysStopAt="true" />
  <variable name="ARGS" expression="" defaultValue="" alwaysStopAt="true" />
  <context>
    <option name="JAVA_CODE" value="false" />
    <option name="JAVA_COMMENT" value="false" />
    <option name="JAVA_STRING" value="false" />
    <option name="XML" value="false" />
    <option name="HTML" value="true" />
    <option name="JSP" value="false" />
    <option name="OTHER" value="false" />
  </context>
</template>
<template name="#parse" value="#parse ($NAME$)" shortcut="SPACE" description="Velocity parse" toReformat="false"
toShortenFQNames="true">
  <variable name="NAME" expression="" defaultValue="" alwaysStopAt="true" />
  <context>
    <option name="JAVA_CODE" value="false" />
    <option name="JAVA_COMMENT" value="false" />
    <option name="JAVA_STRING" value="false" />
    <option name="XML" value="false" />
    <option name="HTML" value="true" />
    <option name="JSP" value="false" />
    <option name="OTHER" value="false" />
  </context>
</template>
<template name="#set" value="#set ($$$PROPERTY$ = $EXPR$)" shortcut="SPACE" description="Velocity set"
toReformat="false" toShortenFQNames="true">
  <variable name="PROPERTY" expression="" defaultValue="" alwaysStopAt="true" />
  <variable name="EXPR" expression="" defaultValue="" alwaysStopAt="true" />
  <context>
    <option name="JAVA_CODE" value="false" />
    <option name="JAVA_COMMENT" value="false" />
    <option name="JAVA_STRING" value="false" />
    <option name="XML" value="false" />
    <option name="HTML" value="true" />
    <option name="JSP" value="false" />
    <option name="OTHER" value="false" />
  </context>
</template>
<template name="#stop" value="#stop" shortcut="SPACE" description="Velocity stop" toReformat="false"
toShortenFQNames="true">
  <context>
    <option name="JAVA_CODE" value="false" />

```

```
<option name="JAVA_COMMENT" value="false" />
<option name="JAVA_STRING" value="false" />
<option name="XML" value="false" />
<option name="HTML" value="true" />
<option name="JSP" value="false" />
<option name="OTHER" value="false" />
</context>
</template>
</templateSet>
```