# API0506

# Overview

**NOTE:** This documents the low-level wire protocol used to communicate with Cassandra. This is not intended to be used directly in applications; rather it is highly recommended that application developers use one of the higher-level clients that are linked to from ClientOptions. That said, this page may still be useful for application developers wanting to better understand the data model or the underlying operations that are available.

The Cassandra Thrift API changed substantially after 0.3, with minor, backwards-compatible changes for 0.4, 0.5 and 0.6; this document explains the 0.5 version with annotations for the changes in 0.6 and 0.7.

Cassandra's client API is built entirely on top of Thrift. It should be noted that these documents mention default values, but these are not generated in all of the languages that Thrift supports. Full examples of using Cassandra from Thrift, including setup boilerplate, are found on ThriftExamples.

**WARNING:** Some SQL/RDBMS terms are used in this documentation for analogy purposes. They should be thought of as just that; analogies. There are few similarities between how data is managed in a traditional RDBMS and Cassandra. Please see DataModel for more information.

# Terminology / Abbreviations

#### Keyspace

\${renderedContent}

#### CF

\${renderedContent}

#### SCF

\${renderedContent}

#### Key

\${renderedContent}

#### Column

\${renderedContent}

# Exceptions

#### NotFoundException

\${renderedContent}

#### InvalidRequestException

\${renderedContent}

#### UnavailableException

\${renderedContent}

#### TimedOutException

\${renderedContent}

#### TApplicationException

\${renderedContent}

#### AuthenticationException

\${renderedContent}

#### AuthorizationException

\${renderedContent}

# Structures

ConsistencyLevel

The ConsistencyLevel is an enum that controls both read and write behavior based on <ReplicationFactor> in your storage-conf.xml. The different consistency levels have different meanings, depending on if you're doing a write or read operation. Note that if W + R > ReplicationFactor, where W is the number of nodes to block for on write, and R the number to block for on reads, you will have the most consistent behavior (\* see below). Of these, the most interesting is to do QUORUM reads and writes, which gives you consistency while still allowing availability in the face of node failures up to half of ReplicationFactor. Of course if latency is more important than consistency then you can use lower values for either or both.

• Because the repair replication process only requires a write to reach a single node to propagate, a write which 'fails' to meet consistency requirements will still appear eventually so long at it was written to at least one node. With W and R both using QUORUM, the best consistency we can achieve is the guarantee that we will receive the same value regardless of which nodes we read from. However, we can still peform a W=QUORUM that "fails" but reaches one server, perform a R=QUORUM that reads the old value, and then sometime later perform a R=QUORUM that reads the new value.

Terminology: "N" is the ReplicationFactor; "replicas" are the N nodes that are directly responsible for the data; "nodes" are any/all nodes in the cluster, including HintedHandoff participants.

#### Write

Level	Behavior
ZERO	Ensure nothing. A write happens asynchronously in background. Until CASSANDRA-685 is fixed: If too many of these queue up, buffers will explode and bad things will happen.
ANY	(Requires 0.6) Ensure that the write has been written to at least 1 node, including HintedHandoff recipients.
ONE	Ensure that the write has been written to at least 1 replica's commit log and memory table before responding to the client.
QUORUM	Ensure that the write has been written to $N / 2 + 1$ replicas before responding to the client.
DCQUORUM	(No longer in 0.7) Ensure that the write has been written to <replicationfactor> / 2 + 1 nodes, within the local datacenter (requires NetworkTopologyStrat egy)</replicationfactor>
LOCAL_QUOR UM	(Requires 0.7) Ensure that the write has been written to <replicationfactor> / 2 + 1 nodes, within the local datacenter (requires NetworkTopologyStrategy )</replicationfactor>
EACH_QUORUM	(Requires 0.7) Ensure that the write has been written to <replicationfactor> / 2 + 1 nodes in each datacenter (requires NetworkTopologyStrategy)</replicationfactor>
ALL	Ensure that the write is written to all N replicas before responding to the client. Any unresponsive replicas will fail the operation.

### Read

Level	Behavior							
ZERO	Not supported, because it doesn't make sense.							
ANY	Not supported. You probably want ONE instead.							
ONE	Will return the record returned by the first replica to respond. A consistency check is always done in a background thread to fix any consistency issues when Con sistencyLevel.ONE is used. This means subsequent calls will have correct data even if the initial read gets an older value. (This is called ReadRepair)							
QUORUM	Will query all replicas and return the record with the most recent timestamp once it has at least a majority of replicas ( $N / 2 + 1$ ) reported. Again, the remaining replicas will be checked in the background.							
DCQUO	(No longer in 0.7) When using rack aware placement strategy reads are keept within a data center. See							
RUM	https://issues.apache.org/jira/browse/CASSANDRA-492							
LOCAL _QUOR UM	(Requires 0.7) Returns the record with the most recent timestamp once a majority of replicas within the local datacenter have replied.							
EACH_ QUORUM	(Requires 0.7) Returns the record with the most recent timestamp once a majority of replicas within each datacenter have replied.							
ALL	Will query all replicas and return the record with the most recent timestamp once all replicas have replied. Any unresponsive replicas will fail the operation.							

Note: Thrift prior to version 0.6 defaults to a Write Consistency Level of ZERO. Different language toolkits may have their own Consistency Level defaults as well. To ensure the desired Consistency Level, you should always explicitly set the Consistency Level.

# ColumnOrSuperColumn

Due to the lack of inheritance in Thrift, Column and SuperColumn structures are aggregated by the ColumnOrSuperColumn structure. This is used wherever either a Column or SuperColumn would normally be expected.

If the underlying column is a Column, it will be contained within the column attribute. If the underlying column is a SuperColumn, it will be contained within the super\_column attribute. The two are mutually exclusive - i.e. only one may be populated.

Attribute	Туре	pe Default Required Description		Description
column	Column	n/a	N	The Column if this ColumnOrSuperColumn is aggregating a Column.
super_column	SuperColumn	n/a	N	The ${\tt SuperColumn}$ if this ${\tt ColumnOrSuperColumn}$ is aggregating a ${\tt SuperColumn}$

# Column

The Column is a triplet of a name, value and timestamp. As described above, Column names are unique within a row. Timestamps are arbitrary - they can be any integer you specify, however they must be consistent across your application. It is recommended to use a timestamp value with a fine granularity, such as milliseconds since the UNIX epoch. See DataModel for more information.

Attribute	Туре	Default	Required	Description
name	binary	n/a	Y	The name of the Column.
value	binary	n/a	Y	The value of the Column.
timestamp	i64	n/a	Y	The timestamp of the Column.

# SuperColumn

A SuperColumn contains no data itself, but instead stores another level of Columns below the key. See DataModel for more details on what SuperColum ns are and how they should be used.

Attribute	Туре	Default	Required	Description	
name	binary	n/a	Y	The name of the SuperColumn.	
columns	list <column></column>	n/a	Y	The Columns within the SuperColumn.	

# ColumnPath

The ColumnPath is the path to a single column in Cassandra. It might make sense to think of ColumnPath and ColumnParent in terms of a directory structure.

Attribute	Туре	Default	Required	Description	
column_family	string	n/a	Y	The name of the CF of the column being looked up.	
super_column	binary	n/a	N	The super column name.	
column	binary	n/a	N	The column name.	

# **ColumnParent**

The ColumnParent is the path to the parent of a particular set of Columns. It is used when selecting groups of columns from the same ColumnFamily. In directory structure terms, imagine ColumnParent as ColumnPath + '/../'.

Attribute	Туре	Default	Required	Description
column_family	string	n/a	Y	The name of the CF of the column being looked up.
super_column	binary	n/a	N	The super column name.

# **SlicePredicate**

A slicePredicate is similar to a mathematic predicate, which is described as "a property that the elements of a set have in common."

SlicePredicate's in Cassandra are described with either a list of column\_names or a SliceRange.

Attribute	Туре	De fau It	Req uired	Description
column _names	list <b inary&gt;</b 	n /a	N	A list of column names to retrieve. This can be used similar to Memcached's "multi-get" feature to fetch N known column names. For instance, if you know you wish to fetch columns 'Joe', 'Jack', and 'Jim' you can pass those column names as a list to fetch all three at once.
slice_ range	SliceR ange	n /a	N	A SliceRange describing how to range, order, and/or limit the slice.

If column\_names is specified, slice\_range is ignored.

# SliceRange

A SliceRange is a structure that stores basic range, ordering and limit information for a query that will return multiple columns. It could be thought of as Cassandra's version of LIMIT and ORDER BY.

A	ttr	Ту	D	Re	Description
il	oute	pe	ef	qui	
			au	red	
			lt		

sta rt	bi na ry	n /a	Y	The column name to start the slice with. This attribute is not required, though there is no default value, and can be safely set to _, i.e., an empty byte array, to start with the first column name. Otherwise, it must be a valid value under the rules of the Comparator defined for the given ColumnFamily.
fin ish	bi na ry	n /a	Y	The column name to stop the slice at. This attribute is not required, though there is no default value, and can be safely set to an empty byte array to not stop until count results are seen. Otherwise, it must also be a valid value to the ColumnFamily Comparator.
rev ers ed	bo ol	f a 1 se	Y	Whether the results should be ordered in reversed order. Similar to ORDER BY blah DESC in SQL.
cou nt	in te ger	1 00	Y	How many columns to return. Similar to LIMIT 100 in SQL. May be arbitrarily large, but Thrift will materialize the whole result into memory before returning it to the client, so be aware that you may be better served by iterating through slices by passing the last value of one call in as the start of the next instead of increasing count arbitrarily large.

# KeyRange

#### Requires Cassandra 0.6

A KeyRange is used by get\_range\_slices to define the range of keys to get the slices for.

The semantics of start keys and tokens are slightly different. Keys are start-inclusive; tokens are start-exclusive. Token ranges may also wrap – that is, the end token may be less than the start one. Thus, a range from keyX to keyX is a one-element range, but a range from tokenY to tokenY is the full ring.

Attribute	Туре	Default	Required	Description
start_key	string	n/a	N	The first key in the inclusive KeyRange.
end_key	string	n/a	N	The last key in the inclusive KeyRange.
start_token	string	n/a	N	The first token in the exclusive KeyRange.
end_token	string	n/a	N	The last token in the inclusive KeyRange.
count	i32	100	Y	The total number of keys to permit in the KeyRange.

# **KeySlice**

### Requires Cassandra 0.6

A KeySlice encapsulates a mapping of a key to the slice of columns for it as returned by the get\_range\_slices operation. Normally, when slicing a single key, a list<ColumnOrSuperColumn> of the slice would be returned. When slicing multiple or a range of keys, a list<KeySlice> is instead returned so that each slice can be mapped to their key.

Attribute	Туре	Default	Required	Description
key	string	n/a	Y	The key for the slice.
columns	list <columnorsupercolumn></columnorsupercolumn>	n/a	Y	The columns in the slice.

# TokenRange

#### Requires Cassandra 0.6

A structure representing structural information about the cluster provided by the describe utility methods detailed below.

Attribute	Туре	Default	Required	Description
start_token	string	n/a	Y	The first token in the TokenRange.
end_token	string	n/a	Y	The last token in the TokenRange.
endpoints	list <string></string>	n/a	Y	A list of the endpoints (nodes) that replicate data in the ${\tt TokenRange}.$

# Mutation

#### Requires Cassandra 0.6

A Mutation encapsulates either a column to insert, update, or a deletion to execute for a key. Like ColumnOrSuperColumn, the two properties are mutually exclusive - you may only set one on a Mutation.

Attribute	Туре	Default	Required	Description
column_or_supercolumn	ColumnOrSuperColumn	n/a	N	The column to insert or update based on the given key.
deletion	Deletion	n/a	N	The deletion to execute based on the given key.

# Deletion

Requires Cassandra 0.6

A Deletion encapsulates an operation that will delete all columns matching the specified timestamp and predicate. If super\_column is specified, the Deletion will operate on columns within the SuperColumn - otherwise it will operate on columns in the top-level of the key.

Attribute	Туре	Default	Required	Description
timestamp	i64	n/a	Y	The timestamp representing the point in time at which the delete occurs
super_column	binary	n/a	Ν	The super column to delete the column(s) from.
predicate	SlicePredicate	n/a	N	A predicate to match the column(s) to be deleted from the key/super column.

# AuthenticationRequest

### Requires Cassandra 0.6

A structure that encapsulates a request for the connection to be authenticated. The authentication credentials are arbitrary - this structure simply provides a mapping of credential name to credential value.

Attribute	Туре		Default	Required	Description
credentials	<pre>map<string,< pre=""></string,<></pre>	string>	n/a	Y	A map of named credentials.

# CFDef, KSDef

#### Requires Cassandra 0.7

These structures contain fields necessary to describe keyspace and column family definitions.

#### CFDef

Attribute	Туре	Default	Required	Description
table	string	None	Yes	Keyspace this CFDef belongs to
name	string	None	Yes	Name of column family. Must be unique to the keyspace
column_type	string	"Standard"	No	One of "Standard" or "Super"
comparator_type	string	"BytesType "	No	Name of comparator used for column sorting
subcomparator_type	string	None	No	Name of comparator used for subcolumns (when column_type="Super" only)
comment	string	None	No	Human-readable description of column family
row_cache_size	double	0	No	number of rows to cache
preload_row_cache	boolean	0 (False)	No	Set to true to automatically load the row cache
key_cache_size	double	200000	No	Number of keys to cache

### KSDef

Attribute	Туре	Default	Required	Description
name	string	None	Yes	Name of keyspace
strategy_class	string	None	Yes	Fully qualified class name of replication strategy
replication_factor	integer	None	Yes	Number of data replicas
cf_defs	list <cfdef></cfdef>	None	Yes	list of column family definitions. Can be empty, but not null

Requires Cassandra 0.7 beta 2\_

### IndexExpression

Attribute	Туре	Default	Required	Description
column_name	binary	None	Yes	The name of the column to perform the operand on
op	IndexOperator	None	Yes	The IndexOperator to apply
value	binary	None	Yes	The value to use in the comparison

# IndexClause

Attribute	Туре	Default	Required	Description			
expressions	list <indexexpression></indexexpression>	None	Yes	The list of IndexExpressions to AND together. Semantics from the client work similar to boolean logical operand && or SQL 'AND'			
start_key	binary	None	Yes	Start key range to begin searching on			

count	i32	100	No	The maximum rows to return
-------	-----	-----	----	----------------------------

# Method calls

### login\_

Requires Cassandra 0.6\_

void login(string keyspace, AuthenticationRequest auth\_request)

Authenticates with the cluster for operations on the specified keyspace using the specified AuthenticationRequest credentials. Throws Authenticat ionException if the credentials are invalid or AuthorizationException if the credentials are valid, but not for the specified keyspace.

#### get

• ColumnOrSuperColumn get(string keyspace, string key, ColumnPath column\_path, ConsistencyLevel consistency\_level)

Get the Column or SuperColumn at the given column\_path. If no value is present, NotFoundException is thrown. (This is the only method that can throw an exception under non-failure conditions.)

#### get\_slice

• list<ColumnOrSuperColumn> get\_slice(string keyspace, string key, ColumnParent column\_parent, SlicePredicate predicate, ConsistencyLevel consistency\_level)

Get the group of columns contained by column\_parent (either a ColumnFamily name or a ColumnFamily/SuperColumn name pair) specified by the given SlicePredicate struct.

### multiget\_

Deprecated in 0.6 - use multiget\_slice instead\_

 map<string,ColumnOrSuperColumn> multiget(string keyspace, list<string> keys, ColumnPath column\_path, Consist encyLevel consistency\_level)

Perform a get for column\_path in parallel on the given list<string> keys. The return value maps keys to the ColumnOrSuperColumn found. If no value corresponding to a key is present, the key will still be in the map, but both the column and super\_column references of the ColumnOrSuperColu mn object it maps to will be null.

### multiget\_slice

 map<string,list<ColumnOrSuperColumn>> multiget\_slice(string keyspace, list<string> keys, ColumnParent column\_parent, SlicePredicate predicate, ConsistencyLevel consistency\_level)

Retrieves slices for column\_parent and predicate on each of the given keys in parallel. Keys are a `list<string> of the keys to get slices for.

This is similar to get\_range\_slices (Cassandra 0.6) or get\_range\_slice (Cassandra 0.5) except operating on a set of non-contiguous keys instead of a range of keys.

#### get\_count

• i32 get\_count(string keyspace, string key, ColumnParent column\_parent, ConsistencyLevel consistency\_level)

Counts the columns present in column\_parent.

The method is not O(1). It takes all the columns from disk to calculate the answer. The only benefit of the method is that you do not need to pull all the columns over Thrift interface to count them.

### get\_indexed\_slices\_

Requires Cassandra 0.7 beta 2\_

{{ list<KeySlice> get\_indexed\_slices(ColumnParent column\_parent, IndexClause index\_clause, SlicePredicate column\_predicate, ConsistencyLev el consistency\_level)}}

Returns a list of key slices that meed the IndexClause critera. Note that index clause must contain at least a single EQ operation. The columns specified in the IndexExpressions will also need to be specified as indexed when the CF is created.

### get\_range\_slice\_

Deprecated in 0.6 - use get\_range\_slices instead\_

list<KeySlice> get\_range\_slice(string keyspace, ColumnParent column\_parent, SlicePredicate predicate, string start\_key, string finish\_key, i32 row\_count=100, ConsistencyLevel consistency\_level)

Replaces get\_key\_range. Returns a list of slices, sorted by row key, starting with start, ending with finish (both inclusive) and at most count long. The empty string ("") can be used as a sentinel value to get the first/last existing key (or first/last column in the column predicate parameter). Unlike get\_key\_range, this applies the given predicate to all keys in the range, not just those with undeleted matching data. This method is only allowed when using an order-preserving partitioner in 0.5.

# get\_range\_slices\_

Requires Cassandra 0.6\_

In Cassandra 0.7, first parameter "keyspace" is omitted, since the connection should already be authenticated to a keyspace.\_

 list<KeySlice> get\_range\_slices(string keyspace, ColumnParent column\_parent, SlicePredicate predicate, KeyRa nge range, ConsistencyLevel consistency\_level)

Replaces get\_range\_slice. Returns a list of slices for the keys within the specified KeyRange. Unlike get\_key\_range, this applies the given predicate to all keys in the range, not just those with undeleted matching data.

### get\_key\_range\_

Deprecated in 0.5 - use get\_range\_slice instead\_

Removed in 0.6 - use get\_range\_slices instead\_

list<string> get\_key\_range(string keyspace, ColumnFamily column\_family, string start, string finish, i32 count=100, ConsistencyLevel consistency\_level)

Returns a list of keys starting with start, ending with finish (both inclusive), and at most count long. The empty string ("") can be used as a sentinel value to get the first/last existing key. (The semantics are similar to the corresponding components of SliceRange.)

#### insert

• void insert(string keyspace, string key, ColumnPath column\_path, binary value, i64 timestamp, ConsistencyLev el consistency\_level)

Insert or update a Column consisting of (column\_path.column, value, timestamp) at the given column\_path.column\_family and optional column n\_path.super\_column. Note that column\_path.column is here required, since a SuperColumn cannot directly contain binary values – it can only contain sub-Columns.

# batch\_insert\_

Deprecated in 0.6 - use batch\_mutate instead\_

 void batch\_insert(string keyspace, string key, map<string,list<ColumnOrSuperColumn>> batch\_mutation, Consist encyLevel consistency\_level)

Insert or update Columns or SuperColumns across different Column Families for the same row key. batch\_mutation is a map<string, list<ColumnOrSuperColumn>> - a map which pairs column family names with the relevant ColumnOrSuperColumn objects to insert or update with.

### batch\_mutate\_

Requires Cassandra 0.6\_

 void batch\_mutate(string keyspace, map<string,map<string,list<Mutation>>> mutation\_map, ConsistencyLevel consistency\_level)

Executes the specified mutations on the keyspace. mutation\_map is a map<string, map<string, list<Mutation>>>; the outer map maps the key to the inner map, which maps the column family to the Mutation; can be read as: map<key : string, map<column\_family : string, list<Mutation>>>. To be more specific, the outer map key is a row key, the inner map key is the column family name.

A Mutation specifies columns to insert, update or delete. See Mutation and Deletion above for more details.

#### remove

 void remove(string keyspace, string key, ColumnPath column\_path, i64 timestamp, ConsistencyLevel consistency\_level) Remove data from the row specified by key at the granularity specified by column\_path, and the given timestamp. Note that all the values in column\_p ath besides column\_path.column\_family are truly optional: you can remove the entire row by just specifying the ColumnFamily, or you can remove a SuperColumn or a single Column by specifying those levels too. Note that the timestamp is needed, so that if the commands are replayed in a different order on different nodes, the same result is produced.

### describe\_cluster\_name\_

Requires Cassandra 0.6\_

• string describe\_cluster\_name()

Gets the name of the cluster.

# describe\_version\_

Requires Cassandra 0.6\_

• string describe\_version()

Gets the Thrift API version.

# describe\_ring\_

Requires Cassandra 0.6\_

• list<TokenRange> describe\_ring(string keyspace)

Gets the token ring; a map of ranges to host addresses. Represented as a set of TokenRange instead of a map from range to list of endpoints, because you can't use Thrift structs as map keys: https://issues.apache.org/jira/browse/THRIFT-162 for the same reason, we can't return a set here, even though order is neither important nor predictable.

# describe\_keyspace\_

Requires Cassandra 0.7\_

• KsDef describe\_keyspace(string keyspace)

Gets information about the specified keyspace.

### describe\_keyspaces\_

Requires Cassandra 0.7\_

list<KsDef> describe\_keyspaces()

Gets a list of all the keyspaces configured for the cluster. (Equivalent to calling describe\_keyspace(k) for k in keyspaces.)

#### truncate\_

Requires Cassandra 0.7\_

truncate(string column\_family)

Removes all the rows from the given column family.

# system\_add\_column\_family\_

Requires Cassandra 0.7\_

• string system\_add\_column\_family(CFDef cf\_def)

Adds a column family. This method will throw an exception if a column family with the same name is already associated with the keyspace. Returns the new schema version ID.

### system\_drop\_column\_family\_

Requires Cassandra 0.7\_

• string system\_drop\_column\_family(ColumnFamily column\_family)

Drops a column family. Creates a snapshot and then submits a 'graveyard' compaction during which the abandoned files will be deleted. Returns the new schema version ID.

# system\_rename\_column\_family\_

Requires Cassandra 0.7\_

• string system\_rename\_column\_family(string old\_name, string new\_name)

Renames a column family if the new name doesn't collide with an existing column family associated with the same keyspace. This operation blocks while the operating system renames files on disk. Returns the new schema version ID.

### system\_add\_keyspace\_

Requires Cassandra 0.7\_

• string system\_add\_keyspace(KSDef ks\_def)

Creates a new keyspace and any column families defined with it. Callers **are not required** to first create an empty keyspace and then create column families for it. Returns the new schema version ID.

# system\_drop\_keyspace\_

Requires Cassandra 0.7\_

string system\_drop\_keyspace(string keyspace)

Drops a keyspace. Creates a snapshot and then submits a 'graveyard' compaction during which the abandoned files will be deleted. Returns the new schema version ID.

# system\_rename\_keyspace\_

Requires Cassandra 0.7"

string system\_rename\_keyspace(string old\_name, string new\_name)

Renames a keyspace if the new name doesn't collide with an existing keyspace. This operation blocks while the operating system renames files on disk. Returns the new schema version ID.

# Examples

There are a few examples on this page over here.

https://c.statcounter.com/9397521/0/fe557aad/1/stats