

Tapestry5LocalizedTextField

question from mail-list

_ Is there a way to set the default DateFormat for all DateField elements of a BeanForm?

I know that I could specify the format in a <t:Parameter /> block for the form. But then I'd have to do this on every occurrence of a Date object.

Is there maybe some service that I could intercept when it is creating DateField instances and tell it what format to use?_

possible solution

create or add to application's global properties

```
format.date.field : %d.%m.%Y
```

add the class **AppPropertyEditBlocks** in your page subpackage

```
public class AppPropertyEditBlocks
{
    @Environmental
    private PropertyEditContext _context;

    /**
     * get the context of the bean editor.
     *
     * @return the context of the bean editor
     */
    public PropertyEditContext getContext()
    {
        return _context;
    }

    @Component(parameters = {"value=context.propertyValue", "label=prop:context.label", "clientId=prop:context.propertyid",
                           "validate=prop:dateFieldValidator", "format=prop:dateFieldFormat"})
    private DateField _dateField;

    public String getDateFieldFormat()
    {
        String dateFieldFormater = "%m/%d/%y";

        if (_messages.contains("format.date.field"))
            dateFieldFormater = _messages.get("format.date.field");

        return dateFieldFormater;
    }

    public FieldValidator getDateFieldValidator()
    {
        return _context.getValidator(_dateField);
    }
}
```

add the tml-template **AppPropertyEditBlocks.tml** in your page subpackage

```
<div xmlns:t="http://tapestry.apache.org/schema/tapestry_5_0_0.xsd">  
    <t:block id="date">  
        <t:label for="dateField"/>  
        <input t:id="dateField"/>  
    </t:block>  
</div>
```

add to your IoC configuration the **contributeBeanBlockSource** method like this:

```
public class Tap5ComponentsModule  
{  
    public static void contributeBeanBlockSource(Configuration<BeanBlockContribution> configuration)  
    {  
        configuration.add(new BeanBlockContribution("date", "AppPropertyEditBlocks", "date", true));  
    }  
}
```

and restart your application,... voila!